

## REQUEST FOR QUOTATION DEMOLITION & REMOVAL OF A CONCRETE PAD

Guyana Shore Base Inc. hereby invites interested bidders to submit quotations for the **Demolition & Removal of a Concrete Pad** as per the specifications below:

Item	Service Requirement	Preferred Equipment to Complete Job
1	Removal of Trinidad Pad - Demolish and removal of 60'x90'x18" reinforced concrete pad and sand fill excavation area.	Track hoe with hydraulic hammer - A breaker is a powerful percussion hammer fitted to an excavator for demolishing hard (rock or concrete) structures. It is powered by an auxiliary hydraulic system from the excavator, which is fitted with a footoperated valve for this purpose. Additionally, demolition crews employ the hoe ram for jobs too large for jackhammering or areas where blasting is not possible due to safety or environmental issues. Reference image below.









Interested bidders are to submit their proposals (inclusive of method statement) and the following information to the e-mail address below **on or before August** 10th, 2023.

## COMPANY DETAILS

Valid Business Registration or equivalent, Valid GRA & NIS Compliance.

## CONTACT DETAILS

Name, designation, email, phone number.

## CERTIFICATIONS

Local Content Certificate or proof that process has been initiated.

<u>NB:</u> Alternative demolition options can be submitted. Include equipment, manpower and schedule for any alternative methods.

E-mail: tenders@gysbi.com