

GUYANA SHORE BASE INC

No.	Item	Mandatory Standards/Specifications All requirements of the identified mandatory standard/specification must be met before the item is purchased. If the supplier is unable to meet all requirements, the end user must be informed and consulted for final decisions to be made.	Reference	Comment
Emergency				
1	Fire Extinguishers	NFPA 10 UL ISO 7165:2017 ABC - Dry Powder / CO2 / Foam / Water / Wet Chemical - 2.5lbs - 5lbs - 20lbs - 125lbs		GYSBI Approved Brands 1. Amerex Model 2. Advantage 3. Bodyguard 4. Strike first 5. Badger 6. Combat
2				
3				
4	Fire Extinguisher Surface Mount	5 lb		
5	Fire Extinguisher Bracket - Small	2.5 lb		

6	Fire Extinguisher Bracket - Standard	5 lb		
7	Rescue Ladder	8516294		
8	Anchorage Plate For Rescue Ladder	8516316		
9	Gotcha Kit	USGOTCHA-KIT-150		
10	Phillips HeartStart OnSite AED	M5066A		
11	Lifebouy Ring	Outer Diameter - 23 inches Inner Diameter - 13.7 inches		
Medical				
12	Quest Diagnostics	9 Panel Field Screen Device (FSD) (AMP, BAR, BZO, COC, THC, MTD, OPI, 6-am, OXY)		

13	Identify Diagnostics	Custom 9 Panel Cup (AMP, BAR, BZO, COC, THC, MTD, OPI, 6-am, OXY)		
14	Intoximeter	VXL		
15	Drager	Alcotest 5000		
16	ECG Paper	SE-12P		
17	Eyesaline Wall Station			
18	ULINE Metallic Insulated Mailers	Model No. S-18306 Dimensions 9 inches (W) x 12 inches (L) 25 per Case		
19	ULINE Single-Use Cold Packs	Model No. S-19785 Weight 3 oz. Dimensions 5 inches (L) x 2 3/4 inches (W) x 3/4 inches (H) 96 units per Case		
Environmental				

20	Altair 5x Multi-Gas Monitor	10116928		
21	Mini Sound Meter	UT353 BT		
22	Sound Level Meter	RZ1359		
23	Sound Level Meter and Calibrator Kit	R8050-KIT		
24	"Dr. Meter" Light Meter	LX1332B		
25	Aeroqual Series 500 Monitor	S-500		
26	Aeroqual Sulfur Dioxide (SO ₂) Sensor Head	EOZ		

27	Aeroqual Carbon Monoxide (CO) Sensor Head	ECM		
28	Aeroqual Ozone (O ₃) Sensor Head	OZU		
29	Aeroqual Volatile Organic Compounds (VOC) Sensor Head	GSS		
30	Aeroqual Nitrogen Dioxide (NO ₂) Sensor Head	ENL		
31	Absorbent Booms (3)	Length - 3ft		
32	Absorbent Booms (6)	Length - 6ft		
33	Absorbent Booms (10)	Length - 10ft		

34	Absorbent Spill Pads	8" x 16"		
35	Absorbent Pillows	Universal, 28 Gal 18" x 18"		
Signage				
36	Stop Sign	30 inches x 30 inches		
37	No Entry Sign	30 inches x 30 inches		
38	Restricted Area Sign			
39	Muster Point Sign	2.5 ft x 2.5 ft		
40	Pedestrian Sign	33 inches x 34.5 inches		

41	Pedestrians Must Use This Route Sign	19 inches x 13 inches		
42	Mandatory PPE	27 inches x 16 inches		
43	Cellphone Friendly Zone	35 inches x 30 inches		
44	Danger - Diesel Fuel	60 cm x 90 cm		
Devices				
45	I-Com VHF Handheld Transceivers (Radios)	IC-F3003 MIL-810 F MIL-STD-810-C/D/E Frequency Range: 136MHz-174MHz		
46	Screwlock Cable (2.2 lbs)	6 inches Max Weight: 2.2 lbs ANSI/ISEA 121-2018 Compliant		
47	Screwlock Cable (4.4 lbs)	6.25 inches Max Weight: 4.4 lbs ANSI/ISEA 121-2018 Compliant		

48	V-Gripp Tape	Red ANSI/ISEA 121-2018 Compliant		
49	Grippie Tie	Red Max Weight: 4.4 lbs Quantity: 100 units (5 pack) ANSI/.ISEA 121-2023/2018 Compliant		
50	Adjustable Wrist Anchor	Max Weight: 5 lbs ANSI/ISEA 121-2018 Compliant		
51	Tool Catch (2.2 lbs)	12mm x 55mm Max Weight: 2.2 lbs ANSI/ISEA 121-2018 Compliant		
52	Tool Catch (5.5 lbs)	25mm x 90mm Max Weight: 5.5 lbs ANSI/ISEA 121-2018 Compliant		