



GYSBI-MT-030

REQUEST FOR QUOTATION

SUPPLY AND DELIVERY OF MAGNETNOSTRICTIVE GAUGING PROBE

1. INTRODUCTION

Guyana Shore Base Inc. (GYSBI) invites qualified and experienced bidders to submit Quotation for the Supply and Delivery of Magnetostrictive Gauging probe for our facility at 'Annex Warehouse' facility at McDoom, East Bank Demerara, Georgetown.

2. PRODUCT REQUIREMENTS

- Delivery Location: Annex Warehouse facility at McDoom, East Bank Demerara, Georgetown
- Objective: The Supply of Magnetostrictive Gauging probe.
- Key Consideration: See below Technical Specification.

3. REQUIREMENTS FOR QUOTATION SUBMISSION

Interested contractors must provide the following documents:

- Local Content Certificate (if available). If no Local Content Certificate is available, Guyanese-registered businesses can provide evidence of majority-Guyanese ownership and indication that local content certification is being or will be pursued.
- Valid Business Registration or equivalent
- Valid GRA & NIS Compliance
- Any Other Certification

4. SUBMISSION DETAILS

- Date published: September 18 ,2025
- Deadline for Submission: October 18 ,2025
- Submission Format must be Separate PDF documents:
 - Supplier Business Documents (Certificate of Incorporation/ Business Registration, Local Content Certificate, GRA & NIS Compliances, etc.)
 - Technical Proposal (for RFP Tenders)
 - Commercial Quotation (for RFQ Tenders)
- Submission Email Address: tenders@gysbi.com
- Clarifications & Queries: All inquiries can be submitted to the email address above



- Submission Email Address: tenders@gysbi.com with Subject Line: "**SUPPLY AND DELIVERY OF MAGNETNOSTRICTIVE GAUGING PROBE.**".
- Clarifications & Queries: All inquiries can be submitted to the email address above

5. DISCLAIMER

This RFQ does not constitute a solicitation for bids or an offer to contract. Guyana Shore Base Inc. reserves the right to accept or reject any submission at its sole discretion and to proceed with the procurement in any manner it deems fit.

TECHNICAL SPECIFICATION

DESCRIPTION OF REQUIREMENT	SPECIFICATION	QTY
Magnetnostrictive Gauging Probe MTG-V-118"	MTG-V-118"	3

Issued by:

GUYANA SHORE BASE INC. (GYSBI)

September 18, 2025